This certifies that in my best professional judgement and belief the above information is evidence that this waterbody should be included in or deleted from the Catalog of Waters Important for Spawning, Rearing or Migration of Anadromous Fishes per AS 16.05.870.


Signature of Area Biologist:

Rev. 7/93

218-10-18570

STREAM HABITAT ASSESSMENT 1993 - SEGMENTS

STREAM: COVER TYPE: ORGANIC DEBRIS DEAD BRANCHES/TWIGS LOGS BOULDERS STREAM COVER TYPE: ORGANIC DEBRIS DEAD BRANCHES/TWIGS LOGS BOULDERS STREAM COVER ABUNDANCE: none low medium high OVERSTORY: STREAM: none low bedium high GRADIENT (2): STREAM: none low bedium high GROWTH: METHOD COMMENTS SPECIES COUNT COMMENTS COMMENTS A B C D E F CHANNEL PATTERNY: single multi braided STREAM COVER TYPE: ORGANIC DEBRIS DEAD BRANCHES/TWIGS LOGS BOULDERS STREAM COVER TYPE: ORGANIC DEBRIS DEAD BRANCHES/TWIGS LOGS BOULDERS STREAM COVER ABUNDANCE: none low medium high OVERSTORY: STREAM: none low bedium high GROWTH: Motive secondary shrubs meadow muskeg intertidal TOTAL BARRIER? ON BARRIER TO SPECIES: Log adults luvenlies TYPE: (all silde beoverdom logiam (ppring substrate HEIGHT (m): DIST. FROM UPPER EXTENT (m): SPEAMED DESCRIPTION PHOTO ROLL(s): Barrier To Species: HEIGHT (m): DIST. FROM UPPER EXTENT (m): SPEAMED DESCRIPTION Substrate: Bedrock (solid) Boulder >1' Rubble 6-12' Cobble 2-6' Gravel .1-2' Sand <.1' Substrate: Bedrock (solid) Boulder >1' Rubble 6-12' Cobble 2-6' Gravel .1-2' Sand <.1'	CIRCAN	HOW	EINS	110	SEGMENT: 3	- 66/ DATE	8 24/03	TEAM: WG/KS
WATERBODY: mainstem tributary ake/pond welland intertidal other: FISH WILDLIFE SPECIES STAGE COUNT METHOD COMMENTS SPECIES COUNT COMMENTS PECIES STAGE (A J V) COUNT (E V O) FOR A DIENT(X): CHANNEL PROFILE: V D C D E F CHANNEL PATTERN single numb breided STREAM SUBSTAGE: BEDROCK BOULDER RUBBLE COBBLE 2 (ronk fines money) GRAVEL SAND MUD/SILT ORGANICS OTHER: STREAM COVER TYPE: ORGANIC DEBRIS DEAD BRANCHES/TWIGS LOGS BOULDERS STREAM COVER TYPE: ORGANIC DEBRIS DEAD BRANCHES/TWIGS LOGS BOULDERS STREAM COVER ABUNDANCE: none low medium high RIPARIAN VEGETATION (three most abundant plants in order of dominance) within 20m of the banks: OVERSTORY: DEAL SAND MUD/SILT ORGANICS OTHER: STREAM COVER ABUNDANCE: none low medium high GROWTH: moture secondary shrubs meadow muskeg intertidal TOTAL BARRIER? (x) BARRIER TO SPECIES: La dudits tuvenilies TYPE: fall slide beoverdam logiam (princ) stubstrate HEIGHT (m): DIST. FROM UPPER EXTENT (m): SPENDERS (m): SPECIES (m):	SIREAM: _	100	WIDTH	(m) 1.5	_2.0 IENGTH	(m): 30 GI	S DATE: 8/	24 DIGITIZE: y n
FISH SPECIES STAGE COUNT METHOD COMMENTS SPECIES COUNT COMMENTS SPECIES STAGE (A J U) COMMENTS SPECIES COUNT COMMENTS CRADIENT(X): CHANNEL PROFILE: A B C D E F CHANNEL PATTERN SINGN JULIE broided CHANNEL PATTERN SINGN JULIE BEOROCK BOULDER RUBBLE COBBLE COMMENTS STREAM SUBSTRATE: BEOROCK BOULDER RUBBLE COBBLE COMMENTS STREAM COVER TYPE: ORGANIC DEBRIS DEAD BRANCHES/TWIGS LOGS BOULDERS STREAM COVER TYPE: ORGANIC DEBRIS DEAD BRANCHES/TWIGS COTHER: STREAM COVER ABUNDANCE: none low medium high OVERSTORY: COLLS CANOPY ABOVE STREAM: none low medium high GROWTH: COLLS CANOPY ABOVE STREAM: none low medium high GROWTH: COLLS CANOPY ABOVE STREAM: none low medium high TOTAL BARRIERT ON BARRIER TO SPECIES: ACCORDING COMMENTS TYPE: (all silde beoverdam logiam spring) substrate HEIGHT (m): DIST. FROM UPPER EXTENT (m): PHOTO ROLL(s): DESCRIPTION DATE DESCRIPTION DATE DESCRIPTION DATE DESCRIPTION DATE DESCRIPTION								
SPECIES STAGE COUNT METHOD COMMENTS SPECIES COUNT COMMENTS (A J U) Q V D CENTRO (E V D) COMMENTS SPECIES COUNT COMMENTS CRADIENT(X): CHANNEL PROFILE: V D C D E F CHANNEL PATTERN Single Duth broided STREAM SUBSTRATE: BEDROCK BOULDER RUBBLE COBBLE Q (rank three most predominant types) STREAM COVER TYPE: ORGANIC DEBRIS DEAD BRANCHES/TWIGS LOGS BOULDERS CUT BANK OVERHANGING VEGET. OTHER: STREAM COVER ABUNDANCE: none low medium high RIPARIAN VEGETATION (three most abundant plants in order of dominance) within 20m of the banks: OVERSTORY: DEAD STEEAM: none for predium high GROWTH: moture secondary shrubs meadow muskeg intertidal TOTAL BARRIER? ON BARRIER TO SPECIES: Loddly juvenlies TYPE: foll slide beoverdam logiam (spring) substrate HEIGHT (m): DIST. FROM UPPER EXTENT (m): FRAME DESCRIPTION DATE DESCRIPTION DATE DESCRIPTION	WATERBOU	T: mqins	iem Ciri	outury 10	key pond wending		-	
GRADIENT(X): CHANNEL PROFILE: V		1	FISH			WILDLIFE		
CRADIENT(X): CHANNEL PROFILE: V	SPECIES	(A J U)			COMMENTS	SPECIES	COUNT	COMMENTS
CHANNEL PATTERN: single multi braided STREAM SUBSTRATE: BEDROCK BOULDER RUBBLE COBBLE CITY TYPE: Gall silde beaverdam logiam (spring) substrate STREAM COVER TYPE: BEDROCK BOULDER RUBBLE COBBLE CITY TYPE: Gall silde beaverdam logiam (spring) substrate STREAM COVER ABUNDANCE: none low medium high RIPARIAN VEGETATION (three most abundant plants in order of dominance) within 20m of the banks: CANOPY ABOVE STREAM: none low medium high GROWTH: moture secondary shrubs meadow muskeg intertidal TOTAL BARRIER? In BARRIER TO SPECIES: Cadults juvenlies TYPE: fall silde beaverdam logiam (spring) substrate HEIGHT (m): DIST. FROM UPPER EXTENT (m): FRAME DESCRIPTION DESCRIPTION DATE DESCRIPTION AUG ROWLD ROLL(9): DESCRIPTION DATE DESCRIPTION	PIURS	A	20	V				
CHANNEL PATTERN. single multi braided STREAM SUBSTRATE: BEDROCK BOULDER RUBBLE COBBLE CITY Types of the predominant types) GRAVEL SAND MUD/SILT ORGANICS OTHER: STREAM COVER TYPE: ORGANIC DEBRIS DEAD BRANCHES/TWIGS LOGS BOULDERS CUT BANK OVERHANGING VEGET. OTHER: STREAM COVER ABUNDANCE: none low medium high RIPARIAN VEGETATION (three most abundant plants in order of dominance) within 20m of the banks: OVERSTORY: PENN OCK TYPE CANONY BOVE STREAM: none low medium high GROWTH: mature secondary shrubs meadow muskeg intertidal TOTAL BARRIER? In BARRIER TO SPECIES: Adults juvenlies TYPE: fall silde beaverdam logiam spring substrate HEIGHT (m): DIST. FROM UPPER EXTENT (m): FRAME DESCRIPTION DATE DESCRIPTION THE DESCRIPTION DATE DESCRIPTION AND A PROMOCUT								
CHANNEL PATTERN single multi braided STREAM SUBSTRATE: BEDROCK BOULDER RUBBLE COBBLE CHANNEL Three most predominant types) GRAVEL SAND MUD/SILT ORGANICS OTHER: STREAM COVER TYPE: ORGANIC DEBRIS DEAD BRANCHES/TWIGS LOGS BOULDERS CUT BANK OVERHANGING VEGET. OTHER: STREAM COVER ABUNDANCE: none low medium high RIPARIAN VEGETATION (three most abundant plants in order of dominance) within 20m of the banks: OVERSTORY: PEAN OCK TOWN THE MOST COMMENT OF THE WORLD STREAM: none low predium high GROWTH: moture recondary shrubs meadow muskeg intertidal TOTAL BARRIER? In BARRIER TO SPECIES: Adults juvenlies TYPE: foll silde beoverdam logiam spring substrate HEIGHT (m): DIST. FROM UPPER EXTENT (m): FRAME DESCRIPTION DATE DESCRIPTION THE MOST CANDELL THE MOST COMMENT OF THE MOST CANDELL THE MOST CANDE								
CHANNEL PATTERN Single multi braided STREAM SUBSTRATE: BEDROCK BOULDER RUBBLE COBBLE CITY Fredominant types) GRAVEL SAND MUD/SILT ORGANICS OTHER: STREAM COVER TYPE: ORGANIC DEBRIS DEAD BRANCHES/TWIGS LOGS BOULDERS CUT BANK OVERHANGING VEGET. OTHER: STREAM COVER ABUNDANCE: none low medium high RIPARIAN VEGETATION (three most abundant plants in order of dominance) within 20m of the banks: OVERSTORY: PEAN OCH FROM COMMENT OF THE COMMEN								
CHANNEL PATTERN Single multi braided STREAM SUBSTRATE: BEDROCK BOULDER RUBBLE COBBLE CITY CONTROL ORGANICS OTHER: STREAM COVER TYPE: ORGANIC DEBRIS DEAD BRANCHES/TWIGS LOGS BOULDERS CUT BANK OVERHANGING VEGET. OTHER: STREAM COVER ABUNDANCE: none low medium high RIPARIAN VEGETATION (three most abundant plants in order of dominance) within 20m of the banks: OVERSTORY: Remail och Periods abundant plants in order of dominance) within 20m of the banks: CANOPY ABOVE STREAM: none low medium high GROWTH: mature Decondary shrubs meadow muskeg intertidal TOTAL BARRIER? In BARRIER TO SPECIES: Adults juvenlies TYPE: fall slide beaverdam logiam spring substrate HEIGHT (m): DIST. FROM UPPER EXTENT (m): FRAME DESCRIPTION DATE DESCRIPTION DATE DESCRIPTION DATE DESCRIPTION								
CHANNEL PATTERN Single multi braided STREAM SUBSTRATE: BEDROCK BOULDER RUBBLE COBBLE CITY Fredominant types) GRAVEL SAND MUD/SILT ORGANICS OTHER: STREAM COVER TYPE: ORGANIC DEBRIS DEAD BRANCHES/TWIGS LOGS BOULDERS CUT BANK OVERHANGING VEGET. OTHER: STREAM COVER ABUNDANCE: none low medium high RIPARIAN VEGETATION (three most abundant plants in order of dominance) within 20m of the banks: OVERSTORY: PEAN OCH FROM COMMENT OF THE COMMEN								
OVERSTORY: DEALS FROM DOCK UNDERSTORY: DEALS CANOPY ABOVE STREAM: none low predium high GROWTH: mature secondary shrubs meadow muskeg intertidal TOTAL BARRIER? In BARRIER TO SPECIES: ALL adults juveniles TYPE: fall silde beaverdam logiam spring substrate HEIGHT (m): DIST. FROM UPPER EXTENT (m): PHOTO ROLL(s): Secondary Substrate DESCRIPTION PHOTO ROLL(s): DESCRIPTION DATE DESCRIPTION DESCRIPTION	STREAM C	over Type) G : O	RAVEL	BRIS DEAD OVERHANGING	BRANCHES/TWIGS VEGET. 0	LOGS	BOULDERS
TOTAL BARRIER? (n) BARRIER TO SPECIES: TYPE: fall silds beoverdom logiam spring substrate HEIGHT (m): DIST. FROM UPPER EXTENT (m): PHOTO ROLL(a): FRAME DESCRIPTION DATE DESCRIPTION MILL - ROMBUT DESCRIPTION	OVER UNDE	STORY: _ RSTORY: _ ABOVE SI	REAM: 1	none low	medium high	Feins		
TYPE: fall silde beaverdam logiam spring substrate HEIGHT (m): DIST. FROM UPPER EXTENT (m): PHOTO ROLL(s): Some Description DATE DESCRIPTION A Mid-Remeut		-						
FRAME DESCRIPTION DATE DESCRIPTION 2 Mid-Remeut	TOTAL BA	RRIER?	n eaverdar	BARRI n logjam (spring substrate	HEIGHT (m):	DIST. FROM	UPPER EXTENT (m):
2 Mid-Rimeut	PHOTO RO	LL(s):	K-,	06		VIDEO TAPE(s):		
			TARREST AND A STATE OF THE STAT	STATE OF STATE		MATE	DESCRIPTI	ON
Substitute Sederal (rolld) Roulder 31' Rubble 6-12" Cobble 2-6" Gravel .1-2" Sand <.1"	2	M.	cl - p	gmeu				
Subdivide Redwell (rolld) Roulder N1' Rubble 6-12" Cobble 2-6" Gravel .1-2" Sand <.1"								
DUDSTITUTE: DEGLOCK (SOLID) DOCUMENT NO PROPERTY OF THE CONTRACT OF THE CONTRA	Substrate	e: Bedro	ck (solid	I) Bould	er >1' Rubble	5-12" Cobble 2	−6" Gravel	.1-2" Sand <.1"



MEMORAL DUM

Stale of Alaska

DEPARTMENT OF FISH & GAME

Ed Weiss TO:

DATE: November 3, 1993

Habitat Biologist

FILE NO.:

Region II

Habitat and Restoration Division

Department of Fish and Game TELEPHONE NO.: 267-2295

SUBJECT: Anadromous Stream

Nominations

and Corrections

Project R-51

Kathrin Sundet FROM: Habitat Biologist

Region II

Habitat and Restoration Division

Department of Fish and Game

Attached are anadromous stream nominations and corrections to be included in the Anadromous Waters Catalog for 53 streams surveyed in the fall of 1993 on private lands held by the Tatitlek and Eyak Native Corporations in northeast Prince William Sound.

Streams were surveyed by the Alaska Department of Fish and Game, Habitat and Restoration Division personnel, Kathrin Sundet, Jeff Barnhart, Dan Grey, and Wes Ghormley as part of Exxon Valdez Oil Spill Restoration project R-51 aka SHA (Stream Habitat Assessment).

Streams were surveyed on foot from the intertidal zone to the upper extent of anadromous fish distribution. Adult salmon and Dolly Varden were visually identified and enumerated. Juvenile salmon were visually identified in the stream, and then captured by electroshocking, dipnet, or minnow trap to confirm Sampling was conducted periodically along the identification. stream to determine the presence of juvenile salmon. No attempt was made to determine the rearing population sizes of juvenile salmon, or to determine the total escapement of adult salmon in a stream.

Stream data are on file at the Alaska Department of Fish and Game, Habitat and Restoration office, 333 Raspberry Road, Anchorage, Alaska.

There substantial discrepancies among shorelines on the USGS quad sheets, the DNR shoreline, and observed shorelines in this area. In some cases I have attached enlarged plots generated from GPS data and the DNR shoreline to the nomination form in order to illustrate the differences.

Attachments

cc w/o Attachments: Lance Trasky

Don McKay Mark Kuwada